

- Pindara Professional Centre 8 Carrara Street, Benowa QLD 4217
- John Flynn Private Hospital Consulting Suites Level 4, Suite F, 42 Inland Drive Tugun QLD 4224

Dr Animesh Mishra M.B.B.S (Hons 1), F.R.A.C.G.P., F.R.A.C.P.

**Dr Geoffrey Francis** BSc (Hons), M.B.B.S., F.R.A.C.P.

- **O7 5621 0222**
- 07 5621 0221
- ✓ reception@gastroclinics.com.au№ PO Box 9220 Gold Coast MC QLD 9726

## **Haemorrhoid Banding Patient Consent Form**

• Full Name:	
Date of Birth:	
I, the undersigned, consent to haemorrhoidal banding. dilated veins near the anus. This procedure involves phaemorrhoid to cut off its blood supply, destroying the	lacing a tight band around the base of the
The primary purpose of banding is to alleviate symptor. This procedure is recommended due to the persistence such as increasing water and fibre intake and using stops.	of symptoms despite other simple treatments
Risks associated with banding include, but are not limbanding, hemorrhoidal thrombosis (clot within the has sedation/anaesthesia and rarely pelvic sepsis. Rarely the procedure pain does not settle.	emorrhoid), adverse reaction to
Benefits of banding include a minimally invasive procrelief from symptoms, and the ability to perform the prisks, cost and time associated with surgery (such as haemorrhoidopexy).	rocedure on an outpatient basis without the
Limitations of banding include that it is not a permane this is possible after haemorrhoid surgery also). Also be internal haemorrhoids or external haemorrhoids. Follo should be avoided and stool softeners (e.g. Agarol) should	panding may not be appropriate for very large owing banding, straining and heavy lifting
Patient Acknowledgment:	
procedure. I understand the information provide	to answer any further questions at the time of the ded and voluntarily consent to proceed with the ssary treatment or interventions that may arise
Signatures:	
Patient Signature:	Date:
Doctor Signature:	Date: